

Table 1: Subdistrict No. 1 depletions per Table 2.6 in the accepted 2018 Annual Replacement Plan (ARP): Subdistrict No. 1 Monthly Stream Replacement Obligation for 2018 ARP Year submitted to the Colorado State Engineer’s Office on April 13, 2018. January 2019 Depletion Obligation Total: 198.121 ac-ft. 2018 Replacement Operation Total: 198.121 ac-ft (all units’ are in acre feet).

| <i>Date</i> | <i>Depletion Obligation</i> | | | | Table 1 | | | | | | <i>SD #1 Replacement Water Sources</i> | | | |
|----------------|-----------------------------|------------------------|------------------------|--|--|---|--|---|---|--|--|--|---|----------------|
| January | SR-1 Ac-ft. | SR-2 Ac-ft. | SR-3 Ac-ft. | Total Required 2018 ARP | Forbear SLVID SR 1&2 Ac-ft. | Forbear SLVC SR 1&2 Ac-ft. | Forbear MVC SR 1&2 Ac-ft. | SLVID Tabor D 2 TM SR 1&2 Ac-ft. | Exchange from SR 3 to SR 2 | William Cr. Squaw TM SR 1 & 2 Ac-ft | CBP Allocation SR 1, 2 & 3 Ac-ft. | Accretion Exchange from SMRC SR1 & SR2 Ac-Ft. | Accretion Exchange From SMRC SR 3 Ac-ft. | Total |
| 1 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 2 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 3 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 4 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 5 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 6 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 7 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 8 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 9 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 10 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 11 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 12 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 13 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 14 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 15 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 16 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 17 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 18 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 19 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 20 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 21 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 22 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 23 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 24 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 25 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 26 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 27 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 28 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 29 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 30 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| 31 | 2.52 | 4 | -.129 | | 0 | 0 | 0 | 0 | -.129 | | 6.391 | 0 | | 6.391 |
| Totals | 78 | 124 | -4 | | | | | | -4 | | 198.121 | | | 198.121 |

Table 2: District 20 Rio Grande River Call for January 2019 taken from the Colorado Division of Water Resources Preliminary Rio Grande Daily Report – Division 3, District 20.

Table 2

| January | Last Priority Served From Direct Flow | District 20 Ditch / Reservoir Being Served | Max CFS in Priority During Forbearance |
|----------------|--|---|---|
| 1 | Compact | Compact | No Forbearance in January 2019 |
| 2 | Compact | Compact | 0 |
| 3 | Compact | Compact | 0 |
| 4 | Compact | Compact | 0 |
| 5 | Compact | Compact | 0 |
| 6 | Compact | Compact | 0 |
| 7 | Compact | Compact | 0 |
| 8 | Compact | Compact | 0 |
| 9 | Compact | Compact | 0 |
| 10 | Compact | Compact | 0 |
| 11 | Compact | Compact | 0 |
| 12 | Compact | Compact | 0 |
| 13 | Compact | Compact | 0 |
| 14 | Compact | Compact | 0 |
| 15 | Compact | Compact | 0 |
| 16 | Compact | Compact | 0 |
| 17 | Compact | Compact | 0 |
| 18 | Compact | Compact | 0 |
| 19 | Compact | Compact | 0 |
| 20 | Compact | Compact | 0 |
| 21 | Compact | Compact | 0 |
| 22 | Compact | Compact | 0 |
| 23 | Compact | Compact | 0 |
| 24 | Compact | Compact | 0 |
| 25 | Compact | Compact | 0 |
| 26 | Compact | Compact | 0 |
| 27 | Compact | Compact | 0 |
| 28 | Compact | Compact | 0 |
| 29 | Compact | Compact | 0 |
| 30 | Compact | Compact | 0 |
| 31 | Compact | Compact | 0 |

Contact person responsible for the operation and accounting for Subdistrict No. 1:
 Marisa Fricke
 Program Manager, RGWCD
 Office Phone: 719-589-6301